

2022 FLYER



Prep, cook, cool and display

with durable products, featuring stainless steel construction that is engineered to last



MANUAL GRIDDLES

KGR48M 4711/16"W, (4) Burners KGR36M 35%"W, (3) Burners KGR24M 241/16"W, (2) Burners

THERMOSTATIC GRIDDLES

KGR48T 4711/16"W, (4) Burners KGR36T 35%"W, (3) Burners KGR24T 241/16"W, (2) Burners

MANUAL CHARBROILERS

KCBR48 4711/16"W, (4) Burners KCBR36 35%"W, (3) Burners KCBR24 241/16"W, (2) Burners





Gas Griddles & Charbroilers

Gas griddles and charbroilers with stainless steel exterior, legs, sidesplash and backsplash. Front-access pilots and grease trough. Adjustable non-skid stainless steel legs. Griddles have a ¾" griddle plate and 30,000 BTU stainless steel U style burners. Charbroilers have removable radiants and 35,000 BTU stainless steel U style burners. Thermostatic griddles have a 200° to 450°F temp range.



Gas Hot Plates

Stainless steel exterior with 25,000 BTU heavy-duty cast iron burners. Features a lift off top, removable radiants, grates and grease trough. Front-access pilots. Adjustable non-skid stainless steel legs.

KHP36 361/16"W, (6) Burners KHP24 241/16"W, (4) Burners KHP12 123/16"W, (2) Burners



Gas Stock Pot Ranges

Stainless steel construction with a heavy-duty 1%" thick cast iron top grate. 3-ring cast iron burner(s). Features dual control valves, (2) standing pilot lights, 8" adjustable legs and a crumb tray. 3/4" NPT gas inlet. 18"W x 233/4"H

KSP2 42"D, (2) Burners KSP1 21"D, (1) Burner



Conveyor Toaster

Stainless steel exterior with an aluminized steel interior. Features a horizontal conveyor with a countertop design. Toasts approximately 300 slices/hour. 4-position toast selector switch: off / toast / buns / stand-by mode. Front and read discharge chute. 1 year parts and labor warranty. 120V

KCT10-120 14½"W x 21½"D x 15¼"H



Kintera Exclusive Equipment Warranty

Kintera Exclusive Gas Cooking Equipment is warranted to be free from defects in material and workmanship under normal use and service for a period of one (1) year from the date of original purchase. Kintera Exclusive Refrigeration Equipment is warranted to be free from defects in material and workmanship under normal use and service for a period of (2) years for parts and labor. The compressor carries an additional 3-year warranty for the part only. Kintera Exclusive Ice Equipment is warranted for a period of (2) years for parts and labor. The compressor & evaporator carries an additional 3-year warranty.







Gas Fryers

Natural or liquid propane gas. Stainless steel front, door and tank. Efficient (30,000) BTU heat exchange tubes with high heat baffles. Millivolt thermostat allows a temp range of 200° to 400°F. Includes (2) nickel-chrome baskets with coated handles. 6" adjustable legs.

5-TUBE FRYERS

70 lb, Natural Gas KF5-N KF5-P 70 lb, Propane Gas

4-TUBE FRYERS

50 lb, Natural Gas KF4-N KF4-P 50 lb, Propane Gas

3-TUBE FRYERS

40 lb, Natural Gas KF3-N KF3-P 40 lb, Propane Gas







Gas Convection Oven

Stainless steel construction. Full size, single deck. Independent doors with double pane thermal glass. Temp range from 150° to 550°F with a two-speed fan motor and 60-minute timer. Stainless steel legs and adjustable bullet feet. Stacking kits include interconnecting plumbing for a double deck unit. 381/4"W x 411/4"D x 573/8"H.

KCO-1 Convection Oven, 2513/16" Legs KSK-L Stacking Kit w/ 6" Legs

KSK-C

Stacking Kit w/ Casters

Gas Ranges

Natural gas ranges with a stainless steel exterior. 30,000 BTU open burners. Removable cast iron grates. Standard oven with thermostat from 250° to 550°F and (2) adjustable oven racks per oven. 24%" high backriser and shelf. 6" adjustable legs.

KR10 60"W, (10) Burners, (2) Ovens

K6G24 60"W, (6) Burners, 24" Griddle, (2) Ovens

KR6 36"W, (6) Burners, (1) Oven

K2G24 36"W, (2) Burners, 24" Griddle, (1) Oven

KR4 24"W, (4) Burners, (1) Oven



Side mount units with a 34° to 41°F temperature range. Includes LED interior lighting, self-closing doors with locks and dial angled faucets. Stainless steel top, interior walls, floors and ceiling. Exterior is corrosion resistant vinyl. Heavy-duty casters with brakes.

KDD4X 90%"W, (3) Doors, (2) Columns, (2) Faucets KDD3X 69%"W, (2) Doors, (2) Columns, (2) Faucets KDD2X 58%"W, (2) Doors, (1) Column, (2) Faucets KDD1X 231/2"W, (1) Door, (1) Column, (1) Faucet



Black exterior with a stainless steel interior. Features (2) sliding lids, (4) 1" fitted rollers, LED lighting, a bottle opener and a thermostat with digital display.

KBC-65 645/16"W, (3) Dividers KBC-50 497/16"W, (2) Dividers



Back Bar Coolers

Vinyl exterior with stainless steel top, interior walls, floor and ceiling. Includes LED interior lighting, self-closing doors with locks. Digital temperature controls. 24%"D x 35%"H

KBB2472GX 72¾"W, (3) Glass Doors KBB2472X 72¾"W, (3) Solid Doors 60¾"W, (2) Glass Doors KBB2460GX KBB2460X 60¾"W, (2) Solid Doors KBB2448GX 48%"W, (2) Glass Doors KBB2448X 48%"W, (2) Solid Doors



Undercounter Units & Chef Bases

Stainless steel front and sides with an aluminum back. Features a thermostat with digital display. Solid, hinged door(s) have a full length handle and are self-closing, but remain open past 90°. Thermostat with digital display. Casters with (2) front brakes.

UNDERCOUNTER REFRIGERATORS

KUC72R 72"W, (3) Doors, (3) Shelves KUC60R 601/4"W, (2) Doors, (2) Shelves KUC48R 471/4"W, (2) Doors, (2) Shelves KUC27R 27"W, (1) Door, (1) Shelf

KUC27R-LH 27"W, (1) Door, Left Hinge, (1) Shelf

UNDERCOUNTER FREEZERS

KUC48F 471/4"W, (2) Doors, (2) Shelves KUC27F 27"W, (1) Door, (1) Shelf

KUC27F-LH 27"W, (1) Door, Left Hinge, (1) Shelf

CHEF BASE REFRIGERATORS

KCB72X 72%"W, (4) Drawers

KCB60X 60"W w/ Extended Top, (2) Drawers

KCB48X 48%"W, (2) Drawers KCB36X 36%"W, (2) Drawers



Reach-Ins

Stainless steel exterior and interior floor. Aluminum back and interior. Solid state thermostat with digital display for convenience. Includes (3) shelves per section. EZ slide out condensing unit. Full size self-closing doors remain open past 90°. Casters with (2) locking.

TOP MOUNT REFRIGERATORS

KTM2R (2) Doors, 49 cu ft, (6) Shelves KTM1R (1) Door, 23 cu ft, (3) Shelves

TOP MOUNT FREEZERS

KTM2F (2) Doors, 49 cu ft, (6) Shelves KTM1F (1) Door, 23 cu ft, (3) Shelves

BOTTOM MOUNT REFRIGERATORS

KBM3R (3) Doors, 72 cu ft, (9) Shelves KBM2R (2) Doors, 49 cu ft, (6) Shelves KBM1R (1) Door, 23 cu ft, (3) Shelves

BOTTOM MOUNT FREEZERS

KBM3F (3) Doors, 72 cu ft, (9) Shelves KBM2F (2) Doors, 49 cu ft, (6) Shelves KBM1F (1) Door, 23 cu ft, (3) Shelves





Glass Swing Door Merchandisers

Black coated steel exterior and interior floor with a white powder-coated aluminum interior. Full hinged triple pane locking glass door(s). Features LED lighting, a thermostat with digital temp controls and adjustable heavy-duty Epoxy coated shelves. Bottom mount, slide out condenser.

KGD72RX (3) Doors, 53 cu ft, (12) Shelves (2) Doors, 48 cu ft, (8) Shelves KGD48R KGD23R (1) Door, 23 cu ft, (4) Shelves



Durability and performance at an economical price



Glass Sliding Door Merchandiser

Black coated steel exterior and interior floor with a white powder-coated aluminum interior. Sliding double pane locking glass door(s). Features LED lighting, a thermostat with digital temp controls and adjustable heavy-duty Epoxy coated shelves. Bottom mount, slide out condenser.

KGSD48RX (2) Doors, 45 cu ft, (8) Shelves

Salad/Sandwich & Pizza Prep Refrigerators

Stainless steel front and sides with an aluminum back. Features a digital display thermostat and solid hinged doors. Self-closing doors remain open past 90°. Sandwich / salad and Mega-top units include 1/2 size lexan pans and full length poly-vinyl cutting board. EZ slide out condenser. Casters with (2) front brakes.

SANDWICH / SALAD TOP REFRIGERATORS

Includes 1/4 size pans & full length poly-vinyl cutting board

KS72 70%"W, (2) Doors, (18) Pans, (3) Shelves KS60 601/4"W, (2) Doors, (16) Pans, (2) Shelves **KS48** 471/4"W, (2) Doors, (12) Pans, (2) Shelves **KS36** 361/4"W, (2) Doors, (10) Pans, (2) Shelves **KS27** 27½"W, (1) Door, (8) Pans, (1) Shelf

MEGA-TOP REFRIGERATED SANDWICH COUNTERS

Includes 1/4 size pans & full length poly-vinyl cutting board

KS72MT 70%"W, (2) Doors, (30) Pans, (3) Shelves KS60MT 601/4"W, (2) Doors, (24) Pans, (2) Shelves KS48MT 471/4"W, (2) Doors, (18) Pans, (2) Shelves KS36MT 361/4"W, (2) Doors, (15) Pans, (2) Shelves KS27MT 27½"W, (1) Door, (12) Pans, (1) Shelf

PIZZA PREP TABLES

KRR94X 91%"W, (3) Doors, (3) Shelves KRR70X 70%"W, (2) Doors, (2) Shelves KRR47X 49%"W, (1) Door, (1) Shelf



KINTERA









Ice Machines

Constructed of 304 stainless steel. Self-contained refrigeration with an air-cooled condenser. R290 refrigerant.

UNDERCOUNTER ICE MACHINES

HALF-DICE

KUH360-1A 360 lb Production KUH220-1A 220 lb Production KUH160-1A 160 lb Production KUH130-1A 130 lb Production

FULL-DICE

KUF360-1A 360 lb Production 220 lb Production KUF220-1A 160 lb Production KUF160-1A KUF130-1A 130 lb Production

MODULAR ICE MACHINES - HALF CUBE

KHM1000-2A1P 974 lb Production, 208V, 1PH KHM700-1A 676 lb Production, 120V KHM500-1A 494 lb Production, 120V KHM400-1A 431 lb Production, 120V

MODULAR ICE MACHINES - FULL DICE

KFM1000-2A1P 974 lb Production, 208V, 1PH KFM700-1A 676 lb Production, 120V KFM500-1A 494 lb Production, 120V KFM400-1A 431 lb Production, 120V

BINS FOR MODULAR ICE MACHINES

KB1050SS 1048 lb Storage KB900SS 858 lb Storage KB750SS 742 lb Storage KB500SS 510 lb Storage KB400SS 400 lb Storage KB300SS 353 lb Storage



Compartment Sinks

18 gauge stainless steel top and bowl. Galvanized legs with stainless steel leg gussets and adjustable polymer feet. 9" high backsplash. 11/8" faucet holes on 8" centers. Included basket strainer. 43"H

1 COMPARTMENT

KES1C1824S-218 KES1C1818S-218 KES1C1824S-L18 KES1C1824S-R18 KES1C1818S-L18 KES1C1818S-R18 KES1C1824S KES1C1818S

54"L x 30"W, (2) 18" Drainboards 54"L x 24"W, (2) 18" Drainboards 381/2"L x 30"W, 18" Left Drainboard 381/2"L x 30"W, 18" Right Drainboard 38½"L x 24"W, 18" Left Drainboard 38½"L x 24"W, 18" Right Drainboard 23"L x 30"W, No Drainboards 23"L x 24"W, No Drainboards

3 COMPARTMENT KES3C1824S-224 KES3C1824S-218 KES3C1818S-218 KES3C1515S-215 KES3C1014S-212 **KPB2020**

102"L x 30"W, (2) 24" Drainboards 90"L x 30"W, (2) 18" Drainboards 90"L x 24"W, (2) 18" Drainboards 75"L x 21"W, (2) 15" Drainboards 54"L x 20"W, (2) 12" Drainboards Perforated Scrap Basket



Wall-Mount Hand Sinks & Faucet

20 gauge stainless steel and bowl. 8" high backsplash with 2" return. Splash faucet mount sold separately. Basket strainer included.

KHS17 17"L x 15"W x 13"H, 14" x 10" x 5" Bowl KHS17SP 17"L x 15"W x 13"H w/ Side Splashes,

14" x 10" x 5" Bowl

KHS9 13"L x 16"W x 13"H, 9" x 9" x 4" Bowl KHS9SP 13"L x 16"W x 13"H w/ Side Splashes,

9" x 9" x 4" Bowl

KHS1210 151/2"L x 16"W x 13"H, 12" x 10" x 6" Bowl KHS1210SP 151/2"L x 16"W x 13"H w/ Side Splashes,

12" x 10" x 6" Bowl

KHSFAUCET Splash Mount Faucet w/ Goose-Neck Spout

Floor-Mount Mop Sink

All stainless steel construction for longer life and easy maintenance. Basket strainer included.

24"L x 24"W x 10"H KMS1



Work Tables & Equipment Stands

Stainless steel top with welded construction. Galvanized steel undershelf and legs with adjustable bullet feet. Tables over 72" have 6" legs. Shipped knocked down.

WORK TABLES KEWT3096 KEWT2496 KEWT3072 KEWT2472 KEWT3060 KEWT2460 KEWT3048 KEWT2448 KEWT3036 KEWT3036 KEWT3036 KEWT3030 KEWT2424 KEWT2430	96"W x 30"D x 36"H 96"W X 24"D x 36"H 72"W x 30"D x 36"H 72"W x 24"D x 36"H 60"W x 30"D x 36"H 60"W x 24"D x 36"H 48"W x 24"D x 36"H 48"W x 24"D x 36"H 36"W x 30"D x 36"H 36"W x 24"D x 36"H 36"W x 24"D x 36"H
KEWT2424 KEWT2430 KEWT2436	30"W x 30"D x 36"H 24"W x 36"D x 36"H

(EWT3048	48"W x 30"D x 36"H	WTUS3048
(EWT2448	48"W x 24"D x 36"H	WTUS2448
(EWT3036	36"W x 30"D x 36"H	WTUS3036
(EWT3030	36"W x 24"D x 36"H	WTUS2436
(EWT2424	24"W x 24"D x 36"H	WTUS3030
(EWT2430	30"W x 30"D x 36"H	WTUS2430
(EWT2436	24"W x 36"D x 36"H	
VORK TABLES	W/ 2" TURN-UP BACKSPLASH	FOUIPMEN

WORK TABLES V	V/ 2" TURN-UP BACKSF
KEWT3096-2	96"W x 30"D x 36"H
KEWT2496-2	96"W x 24"D x 36"H
KEWT3084-2	84"W x 30"D x 36"H
KEWT2484-2	84"W x 24"D x 36"H
KEWT3072-2	72"W x 30"D x 36"H
KEWT2472-2	72"W x 24"D x 36"H
KEWT3060-2	60"W x 30"D x 36"H
KEWT2460-2	60"W x 24"D x 36"H
KEWT3048-2	48"W x 30"D x 36"H
KEWT2448-2	48"W x 24"D x 36"H
KEWT3036-2	36"W x 30"D x 36"H
KFWT2436-2	36"W x 24"D x 36"H

1121113030 2	30 11 X 30 D X 30 11
KEWT2436-2	36"W x 24"D x 36"H
KEWT2424-2	24"W x 24"D x 36"H
KEWT3030-2	30"W x 30"D x 36"H
KEWT2430-2	30"W x 24"D x 36"H

GALVANIZED UNDERSHELVES

WTUS3096	For 96"W x 30"D Tables
WTUS2496	For 96"W x 24"D Tables
WTUS3072	For 72"W x 30"D Tables
WTUS2472	For 72"W x 24"D Tables
WTUS3060	For 60"W x 30"D Tables
WTUS2460	For 60"W x 24"D Tables
WTUS3048	For 48"W x 30"D Tables
WTUS2448	For 48"W x 24"D Tables
WTUS3036	For 36"W x 30"D Tables
WTUS2436	For 36"W x 24"D Tables
WTUS3030	For 30"W x 30"D Tables
WTUS2430	For 30"W x 24"D Tables

NT STANIDS

KES3072G	72"W x 30"D x 24"H
KES3060G	60"W x 30"D x 24"H
KES3048G	48"W x 30"D x 24"H
KES3036G	36"W x 30"D x 24"H
KES3024G	24"W x 30"D x 24"H



Wall Shelves

18 gauge stainless steel shelf that mounts directly to the wall. Mounting hardware is not included. Shipped knocked down.

VV/ LL JI ILL V LJ	
KWS1272PR	72"W x 12"D x 6"H, (6) Pot Hooks
KWS1260PR	60"W x 12"D x 6"H, (5) Pot Hooks
KWS1248PR	48"W x 12"D x 6"H, (4) Pot Hooks
KWS1236PR	36"W x 12"D x 6"H, (3) Pot Hooks
KWS1224PR	24"W x 12"D x 6"H, (2) Pot Hooks
KWS1272	72"W x 12"D x 6"H
KWS1260	60"W x 12"D x 6"H

48"W x 12"D x 6"H KWS1248 KWS1236 36"W x 12"D x 6"H 24"W x 12"D x 6"H KWS1224

MICROWAVE SHELVES - HOLDS 185 LBS KMWS2424 24"L x 24"W x 10"H KMWS1824 18"L x 24"W x 9"H

DISH SORTING SHELVES

KSWS63 63"W x 24"D KSWS42 42"W x 24"D KSWS21 21"W x 24"D



Dish Sorting Shelf







Customer Service: 833-KINTERA (546-8372)

Warranty Service: 866-909-2855

info@kinteraequipment.com

